

4 YEAR
FREE
REPLACEMENT
WARRANTY*

**INVERTER BATTERIES
CHANGED FOREVER**

NO LIQUID INSIDE

THROUGHOUT
**SAME BACKUP
GUARANTEED**
48 MONTHS



ANY SIDE UP / ZERO TOP-UP / FUME FREE / NO SPILLAGE

EXIDE care
1800 103 5454

Follow Exide Care on [f](#) [t](#) [s](#) [y](#) [t](#)

*For conditions, visit exidereachout.com

Now batteries can be kept upside down, sideways or in any other form with Exide's unique gel technology. This is another pioneering technology in batteries from Exide and is first-of-its-kind in this category. It not only prevents spillage but also utilises space while being stored and lasts longer.



Special Features



Oxygen Recombination Technology



Plates Surrounded By Gel



One Way Pressure Relief Valve

- **High Quality Silica Gel** - Excellent recovery from deep discharge leading to high reliability and a longer life
- **No Spillage** - Since there's no liquid type electrolyte, battery will not leak even if it's tipped on its side
- **Special Plate Design** - Increases ability to withstand arduous service conditions
- **High Pressure Venting System** - Leads to high oxygen recombination efficiency
- **Maintenance-free** - Requires no electrolyte maintenance unlike deep cycle flooded batteries
- **Low Self-discharge Rate** - Extends the shelf life of the battery
- **One Way Pressure Relief Valve** - Consistent opening and closing of pressure ensures better maintenance-free characteristics

Technical Specifications of Exide Gelmagic Batteries

MODEL	PART NUMBER	NOMINAL VOLTAGE (V)	CAPACITY* IN Ah	LENGTH +/- 3MM	WIDTH +/- 3MM	HEIGHT +/- 3MM upto lid top	WEIGHT (KG) +/- 5%	CHARGING CURRENT (A)	BATTERY LAYOUT
GELMAGIC1500	FGM0 - GELMAGIC1500	12	150	401	189	407	50	15	

*At 27°C when discharged at C20 up to 1.75 vpc.

Authorised Dealer



This catalogue is issued to provide outline information only and is not deemed to form part of an offer or contract. Our policy is one of continuous improvement and we reserve the right to change details without prior notice.

